

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Nebraska Tractor Tests

Tractor Test and Power Museum, The Lester F.
Larsen

January 1934

Test 225: Caterpillar Model R-2

Nebraska Tractor Test Lab

University of Nebraska-Lincoln, tractortestlab@unl.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/tractormuseumlit>



Part of the [Energy Systems Commons](#), [History of Science, Technology, and Medicine Commons](#), [Other Mechanical Engineering Commons](#), [Physical Sciences and Mathematics Commons](#), [Science and Mathematics Education Commons](#), and the [United States History Commons](#)

Nebraska Tractor Test Lab, "Test 225: Caterpillar Model R-2" (1934). *Nebraska Tractor Tests*. 832.
<https://digitalcommons.unl.edu/tractormuseumlit/832>

This Article is brought to you for free and open access by the Tractor Test and Power Museum, The Lester F. Larsen at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Tractor Tests by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
 AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 225

Dates of test: September 24 to October 16, 1934.
 Name and model of tractor: "CATERPILLAR" R 2"
 Manufacturer: Caterpillar Tractor Company, Peoria, Illinois.
 Manufacturer's rating: NOT RATED.
 Highest rating permissible under the recommendations of the A.S.A.E. and
 S.A.E. Tractor Rating Codes: Drawbar - 21.48 H.P. Belt - 29.11 H.P.
 One carburetor setting (98.5% of maximum) was used thruout this test.

B R A K E H O R S E P O W E R T E S T S

H. P.	:Crank : :shaft :	Fuel Consumption	: Water consumption : per hour gallons	: Temp. : : Deg. F. :	:Barometer :Inches of :Mercury
:speed : :R.P.M. : :	:Gals. : : per : hour	: H. P. : : @: : H. P. : : hour	:Lbs. @ : :H. P. : : hour	:Cool- : : In : : fuel : : Total	:Cool- : : Air : : med. :

OPERATING MAXIMUM LOAD TEST. ONE HOUR

32.47 : 1249 : 3.699 : 8.78 : 0.699 : 0.000 : 0.000 : 0.000 : 168 : 75 : 28.890

RATED LOAD TEST. ONE HOUR

29.20 : 1252 : 3.269 : 8.93 : 0.687 : 0.000 : 0.000 : 0.000 : 164 : 75 : 28.840

*VARYING LOAD TEST. TWO HOURS

29.09	: 1250	: 3.254	: 8.94	: 0.687	: --	: --	: --	: 164	: 75	: --
0.59	: 1314	: 1.505	: 0.39	: 15.661	: --	: --	: --	: 151	: 75	: --
14.82	: 1266	: 2.394	: 6.19	: 0.992	: --	: --	: --	: 164	: 75	: --
31.82	: 1205	: 3.537	: 9.00	: 0.683	: --	: --	: --	: 167	: 76	: --
7.57	: 1288	: 1.876	: 4.04	: 1.522	: --	: --	: --	: 150	: 73	: --
22.21	: 1269	: 2.883	: 7.70	: 0.797	: --	: --	: --	: 158	: 73	: --
17.68	: 1265	: 2.575	: 6.87	: 0.894	: 0.000	: 0.000	: 0.000	: 159	: 74	: 28.825

*20 minute runs. Last line is average for two hours.

D R A W B A R R H O R S E P O W E R T E S T S

H. P.	:Draw : :bar :	:Speed : :miles : :per : :hour :	:Crank : :shaft : :speed : :R.P.M. :	:Slip : :on : :drive : :wheels : :%	: Fuel Consumption : Gal. : : hr. : : per : : gal. : : hour :	: Water : : used : : Gal. : : per : : hour :	: Temp. : : : : Cool- : : Air : : med. :	:Barometer :Inches of :Mercury
-------	-------------------	---	---	---	--	--	--	--------------------------------------

RATED LOAD TEST. TEN HOURS. SECOND GEAR

21.87 : 3216 : 2.55 : 1249 : 1.81 : 3.109 : 7.03 : 0.873 : 0.000 : 163 : 74 : 28.600

MAXIMUM LOAD TEST

27.15	: 5274	: 1.93	: 1253	: 3.70	: -----	: Not Recorded	: -----	: 168	: 79	: 29.025
26.63	: 3922	: 2.55	: 1249	: 1.92	: -----	: "	: -----	: 171	: 75	: 29.100
25.46	: 2704	: 3.53	: 1251	: 1.86	: -----	: "	: -----	: 171	: 82	: 29.025

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 225

BRIEF SPECIFICATIONS

MOTOR: Make Own Serial No. 5 E 3502 Type 4 Cylinder, Vertical
Head I Mounting Lengthwise
Bore and stroke: 4" x 5" Rated R.P.M. 1250
Port Diam. Valves: Inlet 1 1/2" Exhaust 1 5/16"
Belt pulley: Diam. 10 1/2" Face 6 1/2" R.P.M. 950
Magneto: Eisemann Model CT4
Carburetor: Zenith Model K 5 A Size 1 1/4"
Governor: Own No. None Type Flyball
Air Cleaner: Own under Vortex patent Type Combination centrifugal, oil and matted wire
Lubrication: Pressure

CHASSIS: Type Tracklayer Serial No. 5 E 3502 Drive Enclosed gear
Clutch: Own Type Single plate - Dry operated by Foot pedal
Advertised speeds, miles per hour: Low 2
Intermediate 2.6 High 3.6 Reverse 2.1
Measured length of track 15.436 feet Face 13 inches
Lugs: Type Cleats integral with shoes No. per track 30 Size 13" x 1 3/4"
Extension rims: None
Seat: Upholstered
Total weight as tested (with operator) 7,420 pounds.

FUEL AND OIL:

Fuel: Gasoline Weight per gallon 6.14 pounds
Oil: S. A. E. Viscosity No. 30 The oil was drained once -
at the end of the test.
Total oil to motor 2.511 gallons
Total drained from motor 2.320 gallons
Total time motor was operated 52 hours

UNIVERSITY OF NEBRASKA - AGRICULTURAL ENGINEERING DEPARTMENT
AGRICULTURAL COLLEGE, LINCOLN

Copy of Report of Official Tractor Test No. 225

REPAIRS AND ADJUSTMENTS

Due to excessive friction in the tracks they were replaced by new ones of same specifications before the official drawbar tests were run.

REMARKS

The tests herein reported were conducted with one carburetor setting which remained unchanged thruout the tests. This condition should be recognized when comparing this test with any Nebraska test conducted prior to 1928.

The track and lug equipment used in the drawbar tests is the same as that described on page 2 of this report.

In the advertising literature submitted with the specifications and application for test of this tractor we find no claims and statements which, in our opinion, are unreasonable or excessive.

We, the undersigned, certify that the above is a true and correct report of official tractor test No. 225.

Carlton L. Zink

Engineer-in-charge

E. E. Brackett

C. W. Smith

E. B. Lewis

Board of Tractor Test Engineers